

MANHOLE	ואט אואט	UNE DIM	ENSTUNS
DIAMETER	D	W	Х
48"	4'-10"	8 "	2'-5"
60"	6'-0"	8 "	3'-7"
72 "	7'-2"	8 "	4'-9"
84"	8'-4"	8 "	5'-11"
96 "	9'-6"	9 "	7′-0″
120"	11'-8"	10"	9'-1"

NOTES

- 1. THE DRIP STONE LANDING SHALL BE USED ONLY WHEN THERE ARE PIPES CONNECTED TO THE RISER UNITS.
- 2. CONCRETE SHALL BE MIX NO.6 (4500 PSI).
- 3. REINFORCEMENT SHALL MEET ASTM A 615 GRADE 60.
- 4. THE MANUFACTURER SHALL FORM MALE AND FEMALE ENDS OF JOINTS USING THEIR OWN DESIGN.
- 5. LIFT EYES SHALL BE PROVIDED FOR HANDLING.
- 6. COST FOR THE DRIP STONE LANDING IS INCIDENTAL TO THE COST OF THE MANHOLE.

SPECIFICATION CATEGORY CODE ITEMS **Maryland Department of Transportation** STATE HIGHWAY ADMINISTRATION Kik G. Mª Call **APPROVED** STANDARDS FOR HIGHWAYS AND INCIDENTAL STRUCTURES DIRECTOR - OFFICE OF HIGHWAY DEVELOPMENT APPROVAL • APPROVAL • FEDERAL PRECAST DRIP STONE LANDING DETAILS REVISIONS HIGHWAY ADMINISTRATION FOR 48" TO 120" DIAMETER MANHOLES APPROVAL 2-22-91 APPROVAL 1-2-91 REVISED 10-1-01 REVISED REVISED STANDARD NO. MD 384.13 REVISED